

Listing of the Claims:

The listing of claims below is provided for the Examiner's convenience. No amendments have been made in this response.

1. **(Previously presented)** A method for distributing data, within a network, between a source consumer and a destination consumer, the data originating from, and protected by predetermined intellectual property rights of, a third party, the method comprising:

specifying a first access condition associated with the data, the access condition based on the predetermined intellectual property rights;

based on a request requesting transfer of the data from the source consumer to the destination consumer, and based on a service ticket issued by an authority associated with the source consumer, arranging for authentication of the destination consumer;

after authentication of the destination consumer, based on a second access condition issued by an authority associated with the source consumer, arranging for transfer of the data, via the network in a peer-to-peer manner, from the source consumer to the destination consumer; and

based on the first and second access conditions, transferring the data via the network in a peer-to-peer manner, from the source consumer to the destination consumer;

use of the data by the destination consumer restricted in a manner specified by the first and second access conditions;

wherein the service ticket has been authenticated using a ticket granting ticket encrypted with a cross-realm key.

2. **(Previously presented)** The method according to claim 1, wherein the first access condition is further based on consumer characteristics associated with the destination consumer.

3. **(Previously presented)** The method according to claim 2, wherein the consumer characteristics comprise one of a destination consumer domain name, or destination consumer device identity.
4. **(Previously presented)** The method according to claim 1, further comprising the step of:
 based on the service ticket, authenticating the destination consumer.
5. **(Original)** The method according to claim 1, further comprising:
 arranging for creation of a content license by the destination consumer based on the first and second access conditions.
6. **(Original)** The method according to claim 5, wherein the use of the data by the destination consumer is restricted in a manner specified in the content license.
7. **(Original)** The method according to claim 1, wherein the network comprises the Internet.
8. **(Original)** The method according to claim 7, wherein the destination consumer comprises a set-top box.
9. **(Previously presented)** The method according to claim 1, wherein the step of arranging for authentication of the destination consumer comprises arranging for authentication of a gateway device associated with the destination consumer.
10. **(Original)** The method according to claim 1, further comprising:
 prior to arranging for transfer of the data, encrypting the data.
11. **(Original)** The method according to claim 10, wherein the step of encrypting comprises forming ciphertext based on the data and an encryption key, according to a predetermined encryption routine.

12. **(Original)** The method according to claim 10, further comprising:
authenticating the data, after the data has been transferred.
13. **(Original)** The method according to claim 1, wherein the access
condition is based on a content license from a provider of the data.
14. **(Original)** The method according to claim 13, wherein the content license
is located at the source consumer.
15. **(Previously presented)** The method according to claim 1, wherein the
service ticket had been obtained with a ticket granting server request/reply exchange
between the destination consumer and a key distribution center associated with the source
consumer.
16. **(Original)** The method according to claim 15, wherein the step of
arranging for authentication of the destination consumer comprises establishing security
associations between the key distribution center associated with the source consumer and
a key distribution center associated with the destination consumer, using the shared cross-
realm key.
17. **(Original)** The method according to claim 1, wherein the service ticket is
obtained based on an authentication server AS request/reply exchange between the
destination consumer and a key distribution center associated with the source consumer,
and
wherein the destination consumer is authenticated with a digital authentication
certificate associated with the destination consumer, the digital authentication certificate
including a realm name of the destination consumer.

18. **(Original)** The method according to claim 1, wherein the step of arranging for transfer of the data comprises arranging for one of streaming, moving and copying of the data.

19. **(Original)** A computer-readable medium encoded with a computer program which, when loaded into a processor, implements the method of claim 1.

20. **(Previously presented)** A system for distributing data, within a network, between a source consumer responsive to a first key distribution center and a destination consumer responsive to a second key distribution center, the data originating from, and protected by predetermined intellectual property rights of, a third party, the system comprising:

- a network communications interface for receiving a request for transfer of the data from the source consumer to the destination consumer, and for transferring the data from the source consumer to the destination consumer, via the network, in a peer-to-peer manner in response to the request; and

- an information processing system in communication with the network communications interface, for processing the request received by the source network communications interface, and, based on the request, performing a method comprising:

- arranging for authentication of the destination consumer based on a service ticket issued by the first key distribution center, wherein the service ticket has been authenticated using a ticket granting ticket encrypted with a cross-realm key;

- arranging for determining whether the destination consumer is authorized, in a manner specified by a first access condition based on the predetermined intellectual property rights of the third party, to receive the data from the source consumer; and

- based on a second access condition returned by the source consumer,
 - arranging for transfer, via the network communications interface, of the data from the source consumer to the destination consumer,

- use of the data by the destination consumer restricted in a manner specified by the first and second access conditions;

wherein the information processing system comprises a processor responsive to a computer-readable storage medium and to a computer program, the computer program, when loaded into the processor, operative to perform the method.

21. **(Previously presented)** The system according to claim 20, wherein the network communications interface is associated with a gateway device of one of the source consumer and the destination consumer.

22. **(Cancelled)**

23. **(Original)** The system according to claim 22, wherein the processor is associated with the gateway device.

24. **(Previously presented)** The system according to claim 20, wherein the network communications interface is associated with a server accessible to the source consumer via the network.

25. **(Previously presented)** The system according to claim 24, wherein the information processing system comprises a processor responsive to a computer-readable storage medium and to a computer program, the computer program, when loaded into the processor, operative to perform the method.

26. **(Previously presented)** The system according to claim 25, wherein the processor is associated with the server.